

# SAFETY DATA SHEET

Issuing Date 15-April-2015

Revision Date- N/A

**Revision Number-** N/A

#### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS Product Identifier Product Name:

**ColorPlus Pigment Dispersion - Red** 

Other Means of Identification Product Code(s): Synonyms

Recommended Use of the Chemical and Restrictions on Use

Recommended Use:No Information AvailableUses Advised Against:No information Available

C1370

None

Supplier's Details Supplier Address ThorWorks Industries, Inc. 2520 S. Campbell St. Sandusky, OH 44870 TEL: 800-326-1994 www.sealmaster.net

**Emergency Telephone Number** 

ThorWorks Industries, Inc. 2520 S. Campbell St. Sandusky, OH 44870 TEL: 800-326-1994 www.sealmaster.net

Manufacturer Address

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Category 4

#### **Classification**

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

Acute Oral Toxicity

#### **GHS Label Elements, Including Precautionary Statements**

Emergency Overview				
Signal Word ● Harmful if swallowed	Warning			
Appearance: Red	Physical State: Liquid	Odor: Mild		
	Physical State: Liquid	Odor: Mild		
	Wash face, hands, and any exposed skin thoroughly after handling.	Odor: Mild		
Precautionary Statements		Odor: Mild		
Precautionary Statements Prevention	<ul> <li>Wash face, hands, and any exposed skin thoroughly after handling.</li> <li>Do not eat, drink, or smoke when using this product.</li> </ul>			
Precautionary Statements Prevention General Advice	<ul> <li>Wash face, hands, and any exposed skin thoroughly after handling.</li> <li>Do not eat, drink, or smoke when using this product.</li> <li>None</li> <li>If SWALLOWED; Call a POISON CENTER or doctor/physician if you fee</li> </ul>			

#### Hazard Not Otherwise Classified (HNOC)

Not applicable

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %	Trade Secret		
Iron Oxide	1332-37-2	40-60	*		
Ethylene Glycol	107-21-1	0-5	*		
*The exact percentage of composi	tion has been withheld as a tra	de secret.			
	4. FIRS	T AID MEASURES			
Description of Necessary First-A					
Eye Contact					
Skin Contact	reactions, see a physician.				
Inhalation	Move to fresh air. If sym	ptoms persist, call a physician. NOT induce vomiting. Never g	ive enuthing by mouth to en		
Ingestion		insult a physician if necessary.	we anything by mouth to an		
Most Important Symptoms/Effec Most Important Symptoms/Effec					
Indication of Immediate Medical					
Notes to Physician	Treat Symptomatically.	May cause sensitization by skin o	contact.		
	5. FIRE-F	IGHTING MEASURES			
<u>Suitable Extinguishing Media</u> Carbon Dioxide (CO <sub>2</sub> ). Dry Chemic	al. Foam. Water Spray. Wate	r Fog.			
Unsuitable Extinguishing Med	<b>lia</b> None				
Specific Hazards Arising from th No information available	e Chemical				
<u>Explosion Data</u> Sensitivity to Mechanical Imp Sensitivity to Static Discharg					
Protective Equipment and Preca As in any fire, wear self-contained gear.		demand MSHA/NIOSH (approve	d or equivalent) and full protective		
	6. ACCIDENT	AL RELEASE MEASURES			
Personal Precautions, Protective Personal Precautions:	e Equipment, and Emergency Use personal protective				
Environmental Precautions Environmental Precautions:		onal Ecological Information. Pre water or sanitary sewer system.	vent product from entering drains.		
Methods and Materials for Conta	inment and Cleaning Up				
Methods for Containment:		or spillage if safe to do so.			
Methods for Cleaning Up:		nert absorbent material. Pick up minated surface thoroughly.	and transfer to properly labeled		
	7. HANDI	ING AND STORAGE			
<u>Precautions for Safe Handling</u> Handling:	skin, eyes, and clothing.		afety practice. Avoid contact with nent. Do not eat, drink, or smoke		
Conditions for Safe Storage, Inc					
Storage:	Keep container tightly clo				
Incompatible Products:	Strong oxidizing agents.	Strong Bases.			

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Control Parameters Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Iron Oxide 1332-37-2	TWA: 10 mg/m <sup>3</sup>	TWA: 5 mg/m³	-
Ethylene Glycol 107-21-1	Ceiling: 100 mg/m <sup>3</sup> aerosol only	(vacated) Ceiling: 50 ppm (vacated) Ceiling: 125 mg/m <sup>3</sup>	-

### Appropriate Engineering Controls Engineering Measures:

Showers Eyewash Stations Ventilation Systems

Eye/Face Protection:	such as Personal Protective Equipment If splashes are likely to occur, wear: Safety glasses with side shields.
Skin and Body Protection:	Impervious gloves.
Respiratory Protection:	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.
Hygiene Measures:	Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and C	hemical Properties		
Physical State: Liquid		Appearance:	Red
Odor: Mild		Odor Threshold:	No Information Available
Property	Values		s/Method
рН	No data available	None kno	own
Melting Point/Range	No data available	None kno	own
Boiling Point/Boiling Range	100° C	None kno	own
Flash Point	No data available	None kno	own
Evaporation Rate	No data available	None kno	own
Flammability (solid, gas)	No data available	None kno	own
Flammability Limits in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor Pressure	No data available	None kno	own
Vapor Density	No data available	None kno	own
Specific Density	1.66 @ 77 F	None known	
Water Solubility	Easily dispersible	None known	
Solubility in other solvents	No data available	None kno	own
Partition coefficient: n-octanol/water	No data available	None kno	own
Autoignition Temperature	No data available	None kno	own
Decomposition Temperature	No data available	None kno	own
Viscosity	No data available	None kno	own
Flammable Properties	Not Flammable		
Explosive Properties	No data available		
Oxidizing Properties	No data available		
VOC Content	No data available		

## **10. STABILITY AND REACTIVITY**

Reactivity:	No data available		
Chemical Stability:	Stable under recommended storage conditions.		
Possibility of Hazardous Reactions:	None under normal processing.		
Hazardous Polymerization:	Hazardous polymerization does not occur.		
Conditions to Avoid:	Incompatible products.		
Incompatible Materials:	Strong oxidizing agents. Strong bases.		
Hazardous Decomposition Products:	: Carbon Monoxide (CO), Carbon Dioxide (CO <sup>2</sup> ), and unburned hydrocarbons (smoke)		

#### **11. TOXICOLOGICAL INFORMATION**

#### Information on Likely Routes of Exposure Pro

roduct Information	
Inhalation:	May cause irritation of respiratory tract.
Eye Contact:	Contact with eyes may cause irritation.
Skin Contact:	May cause irritation.
Ingestion:	Harmful if swallowed.
ingestion.	

Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
Ethylene Glycol	4000 mg/kg (Rat)	9530 μL/kg (Rabbit)	-

# Symptoms Related to the Physical, Chemical, and Toxicological Characteristics Symptoms: No information available.

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure				
Sensitization:	No information available.			
Mutagenic Effects:	No information available.			
Carcinogenicity:	The table below indicates whether each agency has listed any ingredient as a carcinogen.			

Chemical Name	ACGIH	IARC	NTP	OSHA
Iron Oxide		Group 3		

#### IRAC: (International Agency for Research on Cancer)

Group 3 – Not Classifiable as to its Carcinogenicity to Humans

Reproductive Toxicity:	No information available.
STOT - Single Exposure:	No information available.
STOT – Repeated Exposure:	No information available.
Aspiration Hazard:	No information available.

#### Numerical Measures of Toxicity – Product

The following values are calculated based on Chapter 3.1 of the GHS document

LD50 Oral:

1066 mg/kg; Acute toxicity estimate

#### 12. ECOLOGICAL INFORMATION

Ecotoxicity The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Ethylene Glycol 107-21-1	EC50 96h: 6500-13000 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h: 14-18 mL/L static (Oncorhynchus mykiss) LC50 96 h: 40000-60000 mg/L static (Pimephales promelas) LC50 96 h: = 16000 mg/L static (Poecilia reticulata) LC50 96 h: = 27540 mg/L static (Lepomis macrochirus) LC50 96 h: = 40761 mg/L static (Oncorhynchus mykiss) LC50 96 h: = 41000 mgL static (Oncorhynchus mykiss)	EC50 = 10000 mg/L 16h EC50 = 620 mg/L 30 min. EC50 = 620.0 mg/L 30 min.	EC50 48h: = 46300 mg/L (Daphnia magna)

Persistence and Degradability: No information available. Bioaccumulation

Chemical Name	Log Pow
Ethylene Glycol	-1.93

**Other Adverse Effects:** 

No information available.

	13. DISPOSAL CONSIDERATIONS			
Waste Disposal Methods:	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, region or local regulations for additional requirements.			
Contaminated Packaging:	Do not re-use empty containers.			
14. TRANSPORTATION INFORMATION				
DOT:	Not regulated			

#### **15. REGULATORY INFORMATION**

#### International Inventories

TSCA - Complies DSL/NDSL - Complies

Legend TSCA – United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name CAS Number		Weight %	SARA 313 – Threshold Values %
Ethylene Glycol	107-21-1	0-5	1.0

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### **Clean Water Act**

This product does not contain any substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	nical Name Hazardous Substances Ex		RQ
Ethylene Glycol 5000 lb.			RQ 5000 lb. final RQ RQ 2270 kg final RQ

#### **U.S. State Regulations**

California Proposition 65: None

#### U.S. State Right-To-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Ethylene Glycol	Х	Х	Х	Х	Х

#### U.S. EPA Label Information

**EPA Pesticide Registration Number:** 

Not applicable

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard: 1	Flammability: 0	Instability: 0	Physical and Chemical Hazards-
<u>HMIS</u>	Health Hazard: 1	Flammability: 0	Physical Hazard: 0	Personal Protection: X
Revision Date: Revision Note:	2-Dec-2015 N/A			

<u>General Disclaimer</u> The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.